ADAM®



INDUSTRIAL
strength

Industrial / Retail Catalogue

2014-2015

The Right Balance - Speed, Performance, Value

Worldwide



www.adamequipment.co.uk

About Adam

Adam Equipment is a manufacturer of balances and scales serving laboratory, industrial, health and fitness, retail, and education customers worldwide. Since the company was founded in the United Kingdom more than four decades ago, Adam has strategically established a carefully designed network of offices throughout the world to ensure that a high level of service is provided to its customers, wherever they are. With facilities in the United Kingdom, United States, South Africa, Australia and China, Adam maintains a strong global presence.





Adam is committed to manufacturing reliable products with proven technology and user-friendly features. Customer requirements are the ultimate driving force behind each new product development. In addition provides a full range of customer base responsive support and assistance. Adam Equipment UK is ISO 9001-2008 and NMO accredited to certify trade use scales and balances.

...serving the laboratory, education, industrial, retail and health and fitness markets around the world...

Adam began with a pledge to always deliver products with the right balance of speed, performance and value to its customers. The Company takes great pride in meeting this goal each day, with every customer. Adam's commitment to ongoing, customer-driven product development ensures that the company will continue to move forward, providing customers with the weighing solutions they need now and in the future.

Contents

About Adam	2
Contents	2
Features Key	3
Selection Guide	3
AZextra Retail Scales - Price Computing	4
WBZ Retail Wash Down Scales	5
WBW and WBW-M Wash Down Scales	6
LBK Bench Scales	7
CBK and CBK-M Bench Check Weighing Scales	8
GBK and GBK-M Bench Check Weighing Scales	9
GFK and GFK-M Check Weighing Scales	10
ABK / AFK Bench and Floor Scales	11
Warrior Wash-Down Scales	12
CPWplus and CPWplus M & L Weighing Scales	13
CBC and CBC-M bench Counting Scales	14
GBC Bench Counting Scales	15
GFC Floor Counting Scales	16
SHS / LHS Large And Small Hanging Scales	17
IHS Crane Scales	18
PTS Pallet Truck Scale with AE 402 Indicator	19
PT Platforms	20
AELP Pallet Beams	21
PU Pallet Scales	22
Adam DU - Data Collection Software	23
Hard Carry Cases	23
Calibration Weights	23

MODEL SELECTOR

If you are selling / charging by weight you need to select an EC Type Approved model to comply with the Trading Standards requirements. Look for the (M) symbol and green text for EC Approved models.

Did you know?

All Adam EC Type Approved scales up to 300kg **INCLUDE** verification fees and certificate to comply with local Metrological Standards.

Adam Equipment follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Adam Equipment's standard terms and conditions of sale apply. Errors and omissions excepted.

©Adam Equipment, 2014

Features Key

- Multiple Weighing Units
- Parts Counting
- Check Weighing
- Dynamic / Animal Weighing
- Specific Gravity/Density
- Percentage Weighing
- External Calibration
- Internal Calibration
- Weigh Below Balance Hook
- Security Lock Down
- GLP/ISO Reports (Printouts)
- Internal Rechargeable Battery
- Totalisation
- External Battery
- Full Range Tare
- Backlit Display
- EC Type Approved
- RS-232 Interface
- Wash Down
- Industry
- Date
- Retail
- USB
- Time

Selection Guide

Model	Capacity	Readability	Page Number
AZextra	3000g - 30kg	1g - 10g	4
WBZ	3000g - 15kg	1g - 5g	5
WBW WBW-M	2000g - 16kg 3000g - 15kg	0.2g - 2g 1g - 5g	6
LBK	3000g - 30kg	0.5g - 5g	7
CBK CBK-M	4000g - 48kg 3000g - 30kg	0.1g - 2g 1g - 10g	8
GBK GBK-M	8000g - 120kg 6000g - 150kg	0.1g - 5g 2g - 50g	9
GFK GFK-H GFK-M	75kg - 600kg 75kg - 150kg 60kg - 300kg	5g - 50g 1g - 2g 20g - 100g	10
ABK AFK	8000g - 120kg 75kg - 600kg	0.2g -5g 5g - 50g	11
WARRIOR	8000g - 150kg	0.5g - 10g	12
CPWplus CPWplus M CPWplus L	35kg - 200kg 35kg - 200kg 35kg - 300kg	10g -50g 10g - 50g 10g - 100g	13
CBC CBC-M	4000g - 48kg 3000g - 30kg	0.1g - 2g 1g - 10g	14

Model	Capacity	Readability	Page Number
GBC	16kg - 60kg	0.5g - 2g	15
GFC	75kg - 300kg	5g - 20g	16
SHS LHS	50kg - 300kg 500kg - 2000kg	0.01kg - 0.05kg 0.1kg - 0.5kg	17
IHS	1000kg - 10000kg	0.2kg - 2kg	18
PTS + AE402	2000kg	0.5kg	19
PT PT + GK PT + GK-M	1000kg - 3000kg 1000kg - 3000kg 1500kg - 3000kg	0.2kg - 1kg 0.2kg - 1kg 0.5kg - 1kg	20
AELP AELP + GK	1000kg - 2000kg 1000kg - 2000kg	0.2kg - 0.5kg 0.2kg - 0.5kg	21
PU PU + GK	1500kg 1500kg	0.2kg 0.2kg	22
AdamDU Data Collection Software	-	-	23
Hard Carry Cases	-	-	23
Calibration Weights	-	-	23

AZ*extra* Retail Scales - Price Computing



Simply put, the AZextra is an extraordinary retail price computing scale. This lightweight, portable yet robust device is great for weighing and price computing and comes complete with a sturdy ABS plastic housing and large, grade 304 stainless steel pan, leveling feet and power cord.

An internal rechargeable battery offers more than 90 hours of use before needing a charge. Units of measurement include grams and kilograms and the various models of the scale boast capacities ranging from 3000g to 30kg. The AZextra features large front and rear backlit displays, so both customers and operators can see the cost per 100g or kilo, unit price and weight. A bi-directional RS-232 interface connects to a printer or computer for better stock-tracking and record-keeping. With a variety of accessories, the AZextra can be used for numerous products, from candy to meat and fish.

Technical Specifications EC Type Approved Models: (M)

Model	AZextra 3	AZextra 6	AZextra 15	AZextra 30
Maximum Capacity	3000g	6000g	15kg	30kg
Readability	1g	2g	5g	10g
Pan size	225mm x 275mm			
Display	3 x 6 digits backlit LCD displays for weight, unit price and price to pay			
Power Supply	Internal rechargeable battery with up to 90 hours, mains power cord			

EC Type Approved Models: (M)

Pillar Versions:

Model	AZextra 3P	AZextra 6P	AZextra 15P	AZextra 30P
Maximum Capacity	3000g	6000g	15kg	30kg
Readability	1g	2g	5g	10g
Pan size	225mm x 275mm			
Display	3 x 6 digits backlit LCD displays for weight, unit price and price to pay			
Power Supply	Internal rechargeable battery with up to 90 hours, mains power cord			

Accessories

No. 302205006 In-use cover
No. 700200057 In-use cover pack of 5
No. 700200058 In-use cover pack of 10
No. 302000001 Hard carry case with lock
No. 303149760 Confectionery scoop (complete with fitting to scales)
No. 303149761 Fish scoop (complete with fitting to scales)
No. 303149759 Vegetable scoop (complete with fitting to scales)

©Adam Equipment, 2014

WBZ Retail Wash Down Scales



The WBZ Wash Down Approved Retail Scales offer versatility and simple, user-friendly operation. All three models of the WBZ are EC-type-approved, making them suitable for legal or trade applications and ideal for weighing and price computing applications, such as markets, food preparation, retail stores, agricultural facilities and more.

With a readability ranging from 1g to 5 g and a maximum capacity ranging from 3000g to 15kg, the WBZ is lightweight, taking up little desk space but packing multiple functions. It is highly portable because of the internal rechargeable battery pack, which offers 90 hours of operation before needing to be recharged, and an AC power adapter comes with the scale for those times when power is available.



The scale provides a large, easy-to-read and brilliantly backlit LCD on both front and back panels and displays weight, unit price and total price in a choice of multiple currencies. Other features include extensive sealing inside and out, giving the WBZ a high level of protection for wet applications, making cleaning simple.

EC Type Approved Models: (M)

Model	WBZ 3	WBZ 6	WBZ 15
Maximum Capacity	3000g	6000g	15kg
Readability	1g	2g	5g
Pan size	210mm x 173mm		
Display	6 digits backlit LCD digital display, front and customer display		
Power Supply	12VDC 800mA AC adapter, internal rechargeable battery (both included)		

Accessories

No. 303209190 In-use cover
No. 303200002 In-use cover pack of 10
No. 303200003 In-use cover pack of 20
No. 303149760 Small scoop (complete with fitting to scales)
No. 303149761 Medium scoop (complete with fitting to scales)
No. 303149759 Large scoop (complete with fitting to scales)

WBW and WBW-M Wash Down Scales





Suitable for multiple applications, Adam Equipment's WBW and new WBW-M wash down approved scales offer versatility and usefulness for many types of businesses. The WBW-M models are EC-type-approved, making them appropriate for legal or trade applications. These handy scales feature an easy-to-read and brilliantly backlit LCD with capacity tracker, which helps prevent users from exceeding the scale's capacity.



In addition, colour indicators for under and over limits make check weighing fast and simple. Both the WBW and WBW-M models are lightweight and portable because of the internal rechargeable battery packs, which offer 90 hours of operation before needing to be recharged. An auto-sleep/power-down function helps to save battery life, and an AC power adapter comes with the scales for those times when power is available. Additionally, extensive sealing both inside and out give the WBW and WBW-M a high level of protection for wet applications, making cleaning simple. Both of the models have IP66-rated wash down housings and provide a large stainless steel weighing pan. With maximum capacities ranging from 2000g to 16kg, these scales are perfect for many different applications. They offer a variety of weighing units, including grams, kilograms, pounds, ounces and pound/ounce.

Technical Specifications

Model	WBW 2	WBW 4	WBW 8	WBW 16
Maximum Capacity	2000g	4000g	8000g	16kg
Readability	0.2g	0.5g	1g	2g
Pan size	210mm x 173mm			
Display	6 digits backlit LCD digital display			
Power Supply	12VDC 800mA adapter, internal re-chargeable battery (both included)			

EC Type Approved Models: (M)

Model	WBW 3M	WBW 6M	WBW 15M
Maximum Capacity	3000g	6000g	15kg
Readability	1g	2g	5g
Pan size	210mm x 173mm		
Display	6 digits backlit LCD digital display		
Power Supply	12VDC 800mA adapter, internal re-chargeable battery (both included)		



Accessories

No. 303209190 In-use cover
No. 303200002 In-use cover pack of 10
No. 303200003 In-use cover pack of 20
No. 2020010755 Rear display (factory fitted)

©Adam Equipment, 2014

LBK Bench Scales



Compact, versatile and affordable, the LBK Scale is a winning value for businesses. Its sleek, low profile and compact size allow the LBK to be used on a factory floor or in tight laboratory working spaces. This is what makes it well-suited for a variety of applications including weighing, parts counting, percentage weighing and quality control monitoring.

With maximum capacities ranging from 3000g to 30kg and readability from 0.5g to 5g, the LBK is simple-to-use, with colour-coded keys to highlight frequently used functions for faster operation. Its five weighing units (grams, kilograms, pounds, ounces and pound/ounce) and modes provide versatility for different applications, giving the LBK the flexibility to meet changing market and business needs.

Other features include a large backlit display for easy-to-read weighing, a removable stainless steel pan for easy cleaning and a built-in rechargeable battery. This allows the LBK to be used anywhere without the need for external power. The automatic power-off function helps conserve battery life, which is 90 hours before recharging.




Technical Specifications

Model	LBK 3	LBK 6	LBK 12	LBK 30
Maximum Capacity	3000g	6000g	12kg	30kg
Readability	0.5g	1g	2g	5g
Pan size	250mm x 180mm			
Display	Green backlit LCD display with 6 digits			
Power Supply	Mains power cord / rechargeable battery			

Accessories

No. 700200056 In-use Cover
No. 700200063 In-use Cover pack of 5
No. 700200064 In-use Cover pack of 10

CBK And CBK-M Bench Check Weighing Scales



Speed and simplicity are hallmarks of the CBK/CBK-M Bench Check Weighing Scales. The CBK is versatile, performing basic weighing, check weighing, parts counting, and percent weighing in a choice of two units (g, kg).The CBK-M model is EC-type-approved, allowing for use in trade applications. The built-in memory can store high and low limits for up to 10 samples, allowing the most commonly tested items to be checked even faster. Inside and out, the design of the CBK/CBK-M makes sense for the industrial environment.

The numeric keypad allows users to enter values for preset tare, check weigh limits and piece weights, while the colour-coded keys quickly identify the most commonly used functions. The scale's large backlit LCD display is easy to read in any location. The machine's overload protection, together with its sealed keypad/display and large stainless steel pan, 225 x 275mm, protect the CBK/CBK-M from the tough industrial environment. The internal rechargeable battery lets the highly portable scale go anywhere external power is not available. Whether plugged in or using the battery, the auto power-off saves energy by shutting down when not in use. Using weighing units of grams and kilograms, the CBK comes in six models with capacities ranging from 4,000g to 48kg, and the CBK-M comes in four models with capacities ranging from 3,000g to 30kg.

Technical Specifications

Model	CBK 4	CBK 8H	CBK 8	CBK 16	CBK 32	CBK 48
Maximum Capacity	4000g	8000g	8000g	16kg	32kg	48kg
Readability	0.1g	0.1g	0.2g	0.5g	1g	2g
Pan size	225mm x 275mm					
Display	6 digits LCD displays					
Power Supply	Mains power cord / internal rechargeable battery					

EC Type Approved Models: (M)

Model	CBK 3M	CBK 6M	CBK 15M	CBK 30M
Maximum Capacity	3000g	6000g	15kg	30kg
Readability	1g	2g	5g	10g
Pan size	225mm x 275mm			
Display	6 digits LCD displays			
Power Supply	Mains power cord / internal rechargeable battery			

Accessories

No. 1120011156 ATP printer
No. 3126011281 ATP thermal Paper (10 pack)
No. 302205006 In-use cover
No. 700200057 In-use cover pack of 5
No. 700200058 In-use cover pack of 10
No. 302000001 Hard carry case with lock
No. 202000001 Below Balance Hanger (factory fitted)



©Adam Equipment, 2014

GBK and GBK-M Bench Check Weighing Scales





The GBK/GBK-M Bench Check Weighing Scales combine durability and accuracy in one easy-to-use device. These scales are a must-have for any business needing quick and accurate and measurement. Applications include weighing, parts counting, check weighing, check counting and dynamic/animal weighing. The GBK weighs in kilograms which offers versatility for a wide range of uses.

The large green backlit display with capacity tracker is simple to read and shows how much weighing range remains when using the tare function, ensuring against overloading the scale. The keypad and functions can be locked by a supervisor to prevent tampering with scale settings. There are five GBK models, with maximum capacities ranging from 8kg to 120kg and readability ranging from 0.1g to 5g.

The GBK-M series has five EC-type-approved models with maximum capacities ranging from 6kg to 150kg and readability ranging from 2g - 50g. Other features of the scales include solid, grade 304 stainless-steel 300mm x 400mm removable pan for easy cleaning and heavy-duty industrial use, and non-slip rubber feet, which can be set to level the scales and provide accuracy.

Technical Specifications

Model	GBK 8	GBK 16	GBK 32	GBK 60	GBK 120
Maximum Capacity	8kg	16kg	32kg	60kg	120kg
Readability	0.1g	0.5g	1g	2g	5g
Pan size	300mm x 400mm				
Display	Backlit green display with 20mm high digits				
Power Supply	Mains power cord / internal rechargeable battery				

EC Type Approved Models: (M)

Model	GBK 6M	GBK 15M	GBK 30M	GBK 60M	GBK 150M
Maximum Capacity	6kg	15kg	30kg	60kg	150kg
Readability	2g	5g	10g	20g	50g
Pan size	300mm x 400mm				
Display	Backlit green display with 20mm high digits				
Power Supply	Mains power cord / internal rechargeable battery				



Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)
No. 600002028 AdamDU - Data Collection Program
No. 3052010526 In-use cover



GFK and GFK-M Floor Check Weighing Scales



When it comes to floor scales, the GFK/GFK-M Floor Check Weighing Scales offer multiple handy features, plus many that simplify weighing applications, including weighing, check weighing, percentage weighing, dynamic/animal weighing and parts counting. Check weighing is quick and easy with LED limit indicators for fast recognition of underweight, overweight and acceptable ranges. GFK's all have a capacity tracker as standard.

With the GFK's full keypad, counting applications are simple and easy to do as the user can enter a freely selectable sample size or unit weight. The large backlit display can change from weight to unit weight or quantity at a touch of a button. GFK's straightforward set-up and user interface with colour-coded keys make for simple, trouble-free operation.



The GFK series weighs in kilograms, has a maximum capacity ranging from 75kg to 600kg, and readabilities of 5g to 100g. GFK's rugged construction and generously sized grade 304 stainless steel pan in two sizes protect the scale from any potential messes, while the large rubber feet provide excellent grip. A rechargeable battery pack allows this outstanding floor scale to be used anywhere in the warehouse, packaging facility or on the factory floor. GFK-M features three EC-type-approved models suitable for trade use applications.

Technical Specifications

Model	GFK 75	GFK 150	GFK 300	GFK 600	GFK 75H	GFK 150H
Maximum Capacity	75kg	150kg	300kg	600kg	75kg	150kg
Readability	5g	10g	20g	50g	1g	2g
Pan Size	400mm x 500mm			600mm x 800mm	400mm x 500mm	
Display	Backlit green display with 20mm high digits					
Power Supply	Mains power cord / rechargeable battery					

EC Type Approved Models: (M)

Model	GFK 60M	GFK 150M	GFK 300M
Maximum Capacity	60kg	150kg	300kg
Readability	20g	50g	100g
Pan Size	400mm x 500mm		
Display	Backlit green display with 20mm high digits		
Power Supply	Mains power cord / rechargeable battery		





Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)
No. 600002028 AdamDU - data collection program
No. 3052010526 In-use cover

©Adam Equipment, 2014

ABK / AFK Bench and Floor Scales





ABK model

Adam's ABK and AFK scales are built tough to deliver reliable performance and effortless weighing. Designed for rugged industrial applications, a sleek, grade 304 stainless steel indicator with superior sealing protects from dust and water, ensuring longevity, with a grade 304 stainless steel top pan and powder coated aluminum base. When used in shipping and receiving environments, the large backlit display is vivid and easy-to-read, helping to streamline shipping activities and reduce errors in data entry. The ABK / AFK provides weighing units in grams, kilograms, pounds, ounces, pound:ounces and newtons.

Built-in limit lights make the ABK and AFK ideal for check weighing; the indicator shows when you are below your desired target, at your required weight, or above your limit, and an audible alarm assists to give a secondary notification. No matter what the application, the ABK and AFK offer the right combination of features and performance needed in industry today.

Technical Specifications

Model	ABK 8	ABK 16	ABK 32	ABK 60	ABK 120
Capacity	8000g	16kg	32kg	60kg	120kg
Readability	0.2g	0.5g	1g	2g	5g
Pan Size	300mm x 400mm				
Display	Backlit LCD display with 40mm digits and capacity tracker				
Power Supply	12VDC 800mA adaptor / rechargeable battery				

Technical Specifications

Model	AFK 75	AFK 150	AFK 300	AFK 600
Capacity	75kg	150kg	300kg	600kg
Readability	5g	10g	20g	50g
Pan Size	400mm x 500mm			600mm x 800mm
Display	Backlit LCD display with 40mm digits and capacity tracker			
Power Supply	12VDC 800mA adaptor / rechargeable battery			

Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)
No. 1100011297 External relay output box
No. 600002028 AdamDU - data collection program

Warrior Wash-Down Scales





WSK model

The Warrior series of wash-down scales features seven models with capacities ranging from 8kg to 150kg, and readabilities from 0.5g to 10g. The Warrior's grade 304 stainless steel base, top pan, pillar and indicator are rated IP66, meaning it can withstand wet environments. These dust-proof and waterproof scales are well-suited for chemical applications, food production lines and wet environments. Rubber feet with stainless steel threads ensure stability during weighing.

Versatility is a hallmark of the Warrior. It weighs in grams, kilograms, pounds, ounces, pounds/ounces and newtons. It offers selectable multi-language (English, German, French and Spanish) text for printing. Applications include weighing, parts counting to perform inventory checks, percentage weighing, dynamic/animal weighing, check-counting and check-weighing. Built-in check-weighing lights indicate when you are below the desired target, at the required weight or above the limit .

Technical Specifications


Model	WSK 8	WSK 16	WSK 32	WBK 32	WBK 75	WFK 75	WFK 150	WLK 150
Maximum Capacity	8kg	16kg	32kg	32kg	75kg	75kg	150kg	150kg
Readability	0.5g	1g	2g	2g	5g	5g	10g	10g
Pan Size	250mm x 250mm			300mm x 400mm		400mm x 500mm		450mm x 600mm
Pillar Size	300mm			370mm		740mm		
Display	Backlit LCD display with 40mm high digits and capacity tracker							
Power Supply	12VDC 800mA adapter / internal rechargeable battery (both included)							

Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)
No. 600002028 AdamDU - data collection program
No. 1100011297 External relay output box

©Adam Equipment, 2014

CPWplus Weighing Scales



Whether it is for materials testing in the field, materials handling, warehouse, production environments, personal weighing or veterinary weighing, the CPW*plus* series offers exceptional value and useful features needed to meet a variety of demanding applications. The maximum capacity ranges from 35kg to 300kg and the readability ranges from 10g to 100g, depending on the series and model.

The popular CPW*plus* provides 300mm x 300mm platform, combining a simple-to-use, versatile indicator with large platform sizes and configurations to meet a variety of industrial warehouse, field testing, veterinary and laboratory processing applications. The CPW*plus* M series offers a 500mm x 500mm stainless steel platform with internal rechargeable battery. Finally the CPW*plus* L boasts a large platform size of 900mm x 600mm with in-line wheels and a handle and internal rechargeable battery for portability. All CPWpluses include a hold function for dynamic/animal weighing, a bright, easy-to-read backlit display and four weighing units (kg, lb, oz, lb:oz).

Technical Specifications - CPWplus

Model	CPWplus 35	CPWplus 75	CPWplus 150	CPWplus 200
Maximum Capacity	35kg	75kg	150kg	200kg
Readability	10g	20g	50g	50g
Pan size	300mm x 300mm			
Display	LCD with minimum 22mm high digits			
Power Supply	CPWplus - 6 x AA size batteries in the base and 12vAc 150mA adapter CPWplus M and L - internal Rechargeable Battery / 12VDC 500mA adapter			



Technical Specifications - M series

Model	CPWplus 35M	CPWplus 75M	CPWplus 150M	CPWplus 200M
Maximum Capacity	35kg	75kg	150kg	200kg
Readability	10g	20g	50g	50g
Pan size	500mm x 500mm			

Technical Specifications - L series

Model	CPWplus 35L	CPWplus 75L	CPWplus 150L	CPWplus 200L	CPWplus 300L
Maximum Capacity	35kg	75kg	150kg	200kg	300kg
Readability	10g	20g	50g	50g	100g
Pan size	900mm x 600mm				



Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 600002028 Adam DU data collection software
No. 7001000099 Hard carry case for CPWplus 300 x 300mm base model only

CBC and CBC-M Bench Counting Scales





When all is said and done, you can really count on the CBC/CBC-M scales. Designed to meet most counting needs, and weighing in grams and kilograms, the CBC/CBC-M applications include weighing, parts counting, count accumulation and check counting. When you need an approved scale the CBC-M offers the best value and versatility. CBC-M models are EC-type-approved and can be sealed for applications where approved scales are needed for selling. The entire CBC series provides increased capacities and readability selections to tally a larger range of parts.

The CBC/CBC-M also has an internal rechargeable battery, allowing up to 90 hours of operation before needing a charge. It has three large, backlit LCD displays with 20mm-high digits that clearly show weight, unit weight and count. Another handy feature is its bi-directional RS-232 interface, allowing you to output the results in multi-language text to a printer or computer. The colour-coded keypad highlights frequently used keys and the large numeric display is backlit and easy to see. Internal counting accuracy gives a higher resolution, to count even the smallest parts. Optimisation software automatically adjusts the unit weight, allowing greater count accuracy. Its low-profile design saves counter space and its four adjustable, non-slip feet provide excellent support. The CBC comes in five models, with capacities ranging from 4000g to 48kg, and the CBC-M comes in four models, with capacities ranging from 3000g to 30kg.

Technical Specifications

Model	CBC 4	CBC 8	CBC 16	CBC 32	CBC 48
Maximum Capacity	4000g	8000g	16kg	32kg	48kg
Readability	0.1g	0.2g	0.5g	1g	2g
Pan size	225mm x 275mm				
Display	3 LCD backlit displays to show weight, count and piece weight				
Power Supply	Mains power cord / internal rechargeable battery				



EC Type Approved Models: (M)

Model	CBC 3M	CBC 6M	CBC 15M	CBC 30M
Maximum Capacity	3000g	6000g	15kg	30kg
Readability	1g	2g	5g	10g
Pan size	225mm x 275mm			
Display	3 LCD backlit displays to show weight, count and piece weight			
Power Supply	Mains power cord / internal rechargeable battery			

Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 302205006 In-use cover
No. 700200057 In-Use Cover pack of 5
No. 700200058 In-Use Cover pack of 10
No. 3074010507 RS-232 to USB Interface (must be ordered with No. 3074010266 RS-232 to PC cable)
No. 600002028 AdamDU - data collection program
No. 302000001 Hard carry case

©Adam Equipment, 2014

GBC Bench Counting Scales





Counting is easy as 1-2-3 with GBC Bench Counting Scales. Their user-friendly operations make these scales a must-have for businesses looking for fast, accurate counting. The GBC weighs in grams and kilograms and its freely selectable sample size allows the user to choose the number of pieces for sample counting.

Maximum capacities range from 16kg to 60kg and readability ranges from 0.5g to 2g. The large backlit LCD display is easy-to-read and a handy, full-colour keypad offers user-friendly operation. Sending information to printers and computers is simple with the bi-directional RS-232 interface with date and time, providing quick data recording and traceability to increase productivity.

Other features of the GBC include grade 304 stainless steel top pan with powder coated aluminum base for easy cleaning and heavy-duty industrial use, and non-slip adjustable rubber feet, which can be set to level the scales and provide accuracy. Its auto-sleep and power-down functions save the battery, which is easily accessible and provides up to 90 hours of reliable operation before recharging.



Technical Specifications

Model	GBC 16	GBC 32	GBC 60
Maximum Capacity	16kg	32kg	60kg
Readability	0.5g	1g	2g
Pan size	300mm x 400mm		
Display	Backlit green display with 20mm high digits		
Power Supply	Mains power cord / rechargeable battery		

Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)
No. 600002028 AdamDU - data collection program
No. 3052010526 In-use cover
No. 3074010266 RS-232 to PC Cable
No. 3074010507 RS-232 to USB Interface Cable
(must be ordered with No. 3074010266
RS-232 to PC Cable)



GFC Floor Counting Scales





GFC Floor Counting Scales are fully featured with numeric keypad for unit weight and sample entry. Applications include weighing, parts counting, check counting and preset count alarm and the GFC measures in grams and kilograms. With three models, the GFC boasts a maximum capacity ranging from 75kg to 300kg, and has readability from 5g to 20g.

The large brightly backlit display clearly shows unit weight, total weight and number of pieces for quick and easy reading, making counting applications simple and trouble-free. A 400mm x 500mm grade 304 stainless steel top pan with mild steel base and pillar-mounted ABS plastic indicator make the GFC a durable industrial floor counting scale. That pan is removable for easy cleaning.

The GFC shows date and time and has selectable multi-language text for printing. With features that are built to make tasks quick and easy, the GFC offers check counting to a predefined weight or count. A bi-directional RS-232 interface makes recording data and connecting to printers and computers effortless.

The colour-coded keypad makes frequently used buttons instantly recognizable for accuracy, and the smart user interface makes learning about and operating the scale simple and easy to do. A readily accessible, built-in rechargeable battery means the GFC can be used anywhere parts need to be counted or weighed, with up to 70 hours of use before charging is needed.

Technical Specifications

Model	GFC 75	GFC 150	GFC 300
Maximum Capacity	75kg	150kg	300kg
Readability	5g	10g	20g
Pan Size	400mm x 500mm		
Display	Large backlit display		
Power Supply	Mains power cord / rechargeable battery		



Accessories

No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)
No. 600002028 AdamDU - data collection program
No. 3052010526 In-use cover
No. 3074010266 RS-232 to PC Cable
No. 3074010507 RS-232 to USB Interface Cable
(must be ordered with No. 3074010266 RS-232 to PC Cable)



©Adam Equipment, 2014

LHS Large Crane Scales And SHS Small Hanging Scales





LHS model

Designed for industrial applications, the LHS is the best choice for suspension weighing of heavy items. Designed with safety, performance and security in mind, these hanging scales offer bright red LED displays that are easy to see in any lighting conditions, including outside. Operation is simplified with the included remote control, which allows control of the scale's main functions at a safe distance.

The built-in, rechargeable battery operates for up to 30 hours before needing a charge, giving complete freedom on construction sites, in warehouses or areas where power is not always readily available. A heavy-duty hook with a safety catch keeps items in place, and the display unit rotates 360 degrees, giving the best viewing angle. High-contrast colouring in the solid-metal housing combine with easy operation and smart features to make the LHS the ideal hanging scale for heavy loads. The SHS and LHS weighs in kg, lb and N.

Technical Specifications

Model	LHS 500	LHS 1500	LHS 2000
Maximum Capacity	500kg	1500kg	2000kg
Readability	0.1kg	0.2kg	0.5kg
Display	Red LED display with 25mm high digits		
Power Supply	Mains power cord / rechargeable battery		

For weighing small loads, the SHS boasts all the right features, and it sports a compact design that safely and easily handles any applications. The display-hold function can be programmed to automatically retain the weight on the display, allowing better and safer weighing.

The large, red LED display is visible in any lighting conditions, making readings effortless. A built-in, rechargeable battery, remote control and a display that rotates 360 degrees combine to make the SHS an outstanding choice for weighing small suspended loads.



SHS model

Technical Specifications

Model	SHS 50	SHS 150	SHS 300
Maximum Capacity	50kg	150kg	300kg
Readability	0.01kg	0.02kg	0.05kg
Display	Red LED display with 15mm high digits		
Power Supply	AA batteries / rechargeable battery		

The limits stated are the ultimate overload limits of the scales. Adam Equipment Co Ltd, its directors, owners and affiliated companies and organisations cannot be held liable for any resulting damage or injury sustained as a result of the machines being used in excess of their stated capacities and ultimate overload limits.

IHS Crane Scales





Suspension weighing becomes hassle-free with the durable IHS crane scales, which offer easy-to-use weighing and smart features. A range of capacities suits different needs, so the IHS crane scales work for many different applications, including weighing and display hold. All the basic functions of tare and holding values are readily accessible.

Solid construction with robust, die-cast metal housing and 360-degree rotational spring-loaded hook offers complete flexibility and ease of use. Its maximum capacity ranges from 1000kg to 10000kg, allowing for even the heaviest loads to be easily weighed. Readability ranges from 0.2kg to 2kg, depending on the model. Coupled with its internal rechargeable battery with more than 150 hours of use, the IHS crane scale can go just about anywhere. Its display hold function lets you hold the value on the display, which can be viewed once the weight is removed.

The IHS boasts a large, bright red LED display, which is easy to read in any lighting condition. For easy operation the standard remote control allows you to operate the crane scale safely without needing to be near the unit. The IHS has four models, with capacities ranging from 1000kg to 10000kg.

Technical Specifications

Model	IHS 1	IHS 3	IHS 5	IHS 10
Maximum Capacity	1000kg	3000kg	5000kg	10000kg
Readability	0.2kg	0.5kg	1kg	2kg
Display	30mm LED			
Power Supply	7.2VDC 2Amp adapter and internal rechargeable battery			

The limits stated are the ultimate overload limits of the scales. Adam Equipment Co Ltd, its directors, owners and affiliated companies and organisations cannot be held liable for any resulting damage or injury sustained as a result of the machines being used in excess of their stated capacities and ultimate overload limits.

©Adam Equipment, 2014

PTS Pallet Truck Scale with AE 402 Indicator





The PTS Pallet Truck Scale gives users easy and cost-efficient ways to weigh heavy loads. The sleek, low-profile design of the PTS makes it an attractive yet tough addition to the commercial and industrial workplaces. Its solid non-marring polyurethane wheels ensure floors stay clean and unmarked. Heavy-duty reinforced steel pallet forks provide durable lifting capabilities, and a zero-radius pivoting handle gives exceptional maneuverability in tight spots.

Weights are quickly and easily read on the large backlit LCD display. An internal rechargeable battery with auto-off power-saving function, lets operators use the PTS in many areas, without needing to plug it in.

PTS manages overloads with ease. Included with the PTS is Adam's AE 402 indicator, providing a wide range of different features and functions for fast and accurate results. The AE 402 is sealed to IP-66 Standards.

Technical Specifications

Model	PTS 2000+AE402
Maximum Capacity	2000kg
Readability	0.5kg
Fork size	160mm (w) x 1150mm (l)
Display	Backlit LCD display with 40mm LED check weighing lights
Power Supply	12 volt 800mm power adaptor / rechargeable battery

Accessories


No. 1120011156 ATP printer
No. 3123011281 ATP thermal paper (10 pack)
No. 700000012 Adam printer
No. 400005055 Adam printer thermal paper (5 pack)

AE 402 Indicator





PT Platforms



PT Platforms feature a low-profile design for easy loading and unloading, and can be linked to a variety of Adam Equipment indicators, including AE 402, GK, GK-M and GC. The platform is available in seven models, with a Maximum Capacity ranging from 1000kg to 3000kg and with readabilities of 0.2kg and 1kg. Net weights of the platforms are 62kg, 79kg and 112kg.

The PT series features non-slip platforms of 1000mm x 1000mm, 1200mm x 1200mm and 1500mm x 1500mm and a full 5m of shielded base-to-indicator loadcell cable. Non-slip, adjustable, heavy-duty rubber self levelling feet provide stability and accuracy for the platform and support the four OIML-approved loadcells, ensuring quality and longevity of the bases. With overload protection and mild steel construction (PT 310S is an all stainless steel base).

Technical Specifications

Model	PT 110	PT 310	PT 112	PT 312	PT 115	PT 315	PT 310S
Maximum Capacity	1000kg	3000kg	1000kg	3000kg	1000kg	3000kg	3000kg
Readability	0.2kg	0.5kg	0.2kg	0.5kg	0.2kg	0.5kg	0.5kg
Pan Size	1000mm x 1000mm		1200mm x 1200mm		1500mm x 1500mm		1000mm x 1000mm

Technical Specifications - PT with GK Indicator

Model	PT 110 +GK	PT 310 +GK	PT 112 +GK	PT 312 +GK	PT 115 +GK	PT 315 +GK	PT 310S +GK
Maximum Capacity	1000kg	3000kg	1000kg	3000kg	1000kg	3000kg	3000kg
Readability	0.2kg	0.5kg	0.2kg	0.5kg	0.2kg	0.5kg	0.5kg
Pan Size	1000mm x 1000mm		1200mm x 1200mm		1500mm x 1500mm		1000mm x 1000mm

Technical Specifications - PT with GK-M Indicator

EC Type Approved: (M)

Model	PT 110 +GK-M	PT 310 +GK-M	PT 112 +GK-M	PT 312 +GK-M	PT 115 +GK-M
Maximum Capacity	1500kg	3000kg	1500kg	3000kg	1500kg
Readability	0.5kg	1kg	0.5kg	1kg	0.5kg
Pan Size	1000mm x 1000mm		1200mm x 1200mm		1500mm x 1500mm



©Adam Equipment, 2014

AELP Pallet Beams



AELP Pallet Beams shown with optional GK indicator

The AELP series of pallet beams are ideal for pallet weighing and oversized weighing applications. The Adam AELP is easy-to-use and move, with built in wheels and handles for mobility.

The AELP comes standard with the GK indicator that features a backlit green LCD display that can be read in difficult lighting conditions. The AELP offers fast, precise mobile weighing along with many other features.

AELP Pallet Beams without GK indicator Technical Specifications


Model	AELP-1000	AELP-2000
Maximum capacity	1000kg	2000kg
Readability	0.2kg	0.5kg
Repeatability (S.D.)	0.2kg	0.5kg
Linearity (±)	0.4kg	1kg
Beam size	1250 x 120 x 85mm	

AELP Pallet Beams with GK indicator Technical Specifications

Model	AELP-1000 + GK	AELP-2000 + GK
Maximum capacity	1000kg	2000kg
Readability	0.2kg	0.5kg
Repeatability (S.D.)	0.2kg	0.5kg
Linearity (±)	0.4kg	1kg
Beam size	1250 x 120 x 85mm	



PU Pallet Scales



PU Pallet Scale without indicator

PU Pallet Scale with optional GK indicator

The PU is a U-beam pallet scale, designed with a built-in handle and two front wheels. PU can be coupled with several Adam Equipment indicators, including AE 402, GK, GK-M or GC. Applications are numerous, including weighing, parts counting, percentage weighing, comparative weighing, shipping and receiving, batching items for processing and stock and warehouse auditing.

Constructed in low-profile mild steel for portability, the scale features non-slip, adjustable, heavy duty rubber self levelling feet, overload protection and four loadcell construction.

PU Pallet Scale without indicator

Technical Specifications

Model	PU 1500
Maximum Capacity	1500kg
Readability	0.2kg
OIML Class	III
Overall Dimensions	1200 x 920 x 80mm

PU Pallet Scale with GK indicator

Technical Specifications

Model	PU 1500 + GK
Maximum Capacity	1500kg
Readability	0.2kg
OIML Class	III
Overall Dimensions	1200 x 920 x 80mm



©Adam Equipment, 2014

AdamDU - Data Collection Software



Practical Functionality – Smart Features

- Monitor and collect data readings for up to 8 scales simultaneously.
- Record custom data or notations along with readings using up to 6 user-defined fields.
- Log calibration reports to file for maintaining complete calibration records.
- Collect date and time with readings.
- Configure AdamDU to remember individual session settings and file names.

Statistics and Graphing

- View statistics including Min, Max, Median, Mean, Variance, and Standard Deviation.
- Graph readings in real time. Print results and graphs from within the AdamDU application.

Easy Data Management

- Dynamically export readings in several file formats (text, CSV, HTML, XML) for importing to other systems or applications.
- Export captured readings automatically to Microsoft® Excel[1] or Microsoft® Word[1] for further analysis or reporting.

Hard Carry Cases



CPW*plus*

Features

- Light weight and scratch resistant outside
- Foam padded interior for a snug fit
- Rugged construction keeps the scale safe
- Key lock latches for security
- Non-slip rubber feet



CBK / CBC / AZextra

General Specifications

Carry Case Model	CPWplus	CBK/CBC/AZextra
Overall dimensions (wxdxh)	480 x 390 x 150mm	472 x 445 x 188mm

Calibration Weights



Individual Cast Iron Weights	
Weight Value	Weight Class
	OIML M1
5kg	✓
10kg	✓
20kg	✓

Accessories

- M1 Calibration Statement: In-house
- M1 Calibration Certificate: for M1: UKAS or equivalent

Contact Adam Equipment for more information about additional weights.

ADAM®



Industrial / Retail Catalogue

2014-2015

www.adamequipment.co.uk